


Technics

Technics | Simple graphic design for walls and ceilings



Made from 100% polyester, with over 50% recycled content. The panels can also be recycled making them an incredible environmentally friendly product.

This design of panel is more than an acoustic enhancement; it is a piece of three-dimensional art. Adding a distinct visual appeal to any room, this panel is suitable for both work and play areas as with most of our panels. Strip-like ridges like pipes running along the wall, add fun and highly striking optical interest to places whilst disguising the panels true purpose.

Soundtect Technics — Product Benefits

- Easy to Install — the panels are easily wall mounted and can be used to create floating ceilings that absorb sound and enhance sound quality.
- Better balancing of sound by offering Class B Absorption to increase speech intelligibility in a specific area reducing background sound noise levels.
- A better way to transform open, sound-challenged spaces into more while comfortable environments.

Use:

Soundtect panels are for indoor use only but can be used in any area that acoustic treatments are required including areas of high levels of humidity such as swimming pools, as polyester fibre showed only 0.03% absorption of moisture during recent testing where panels were subjected to high humidity of 90% for a five day period. Moisture does not affect polyester and is therefore safe and usable in all interior applications.



Product Care


Soundtect panels are easy to clean. Please use soap and water or specific carpet cleaner to remove stains or marks. The panel should be blotted first to remove surface spills and then cleaned gently with a soft clean cloth taking care not to rub excessively or use excess water. Panels with Paint Finish can be lightly painted over once; further coats of paint would compromise the acoustic performance.

Technical Details

Soundtect have had tests for Fire and Acoustic Performance. Full test reports are available on request.

Acoustic Performance

Technics offers excellent sound absorption, making it ideal for use for any sound absorption requirement. The Laboratory Measurement of Random Incidence Sound Absorption to BS EN ISO 35412003, tested at SRL UK



Calculated to EN 150116541997 @0.70, Calculated to ASTM C 423 - 01- NRC 0.70

Fire Class Testing

Soundtect panels have been tested to:
EN ISO 11925-2 Small flame attack
EN 13823:2010 Single Burning item

Soundtect achieved Class BS1 DO, this makes Technics suitable for use in Class 1 and Class 0 requirements.

Product Specifications

- Product size: 600x600x50
- Composition: 100% polyester fibre (PET) recycled
- NRC: 0.70
- Fire Class: BS1 DO (UK Class 1)
- Design: Technics

Suitable for use in:

Suitable for use in: Auditoriums, Schools, Halls, Offices, Restaurants, Practice Rooms, Studios.

